

检验实验室

CLINICAL LABORATORY

检验结果报告单Clinical Lab Tests Report

1/1

条形码BARCODE:	医院HOSPITAL NAME: XQL	实验号TEST NO.:
姓名NAME:	科室Department:	标本情况Appearance: 无肉眼可见异常No visible abnormality
性别GENDER:	住院号IN-PATIENT NO.:	送检标本Sample type: 口咽拭子 Oropharyngeal swab
年龄AGE:	床号BED NO.:	采样时间COLLECTION TIME: 2020-10-18 09:24:49
电话TEL NO.:	医生PHYSICIAN NAME:	接收时间RECEIVING TIME: 2020-10-18 12:55:18
诊断CLINICAL DIAGNOSIS:	身份证号ID card:	

项目TEST	检测方法METHOD	结果RESULTS	参考值REFERENCE INTERVAL
新型冠状病毒(SARS-CoV-2)核酸定性检测 SARS-CoV-2	实时PCR法 Realtime PCR	阴性 (-) Negative (-)	阴性 (-) Negative (-)

建议与解释COMMENT:

1. 检测靶点: SARS-CoV-2 ORF1ab基因和N基因。
 2. 阴性: 二个靶点均未检出, 可能是病毒载量低于检测下限, 可能会受到方法学局限性以及采样时机和采集部位等的影响。以下两种情况建议重新采集标本或更换部位采集标本再次检测, 并结合临床进行分析: a. 当临床体征及其他检查高度怀疑SARS-CoV-2感染时; b. 结果低于检测下限但有扩增反应时。1. Target Genes detected: SARS-CoV-2 ORF1ab gene and N gene. 2. Negative: Neither target was detected, which maybe because the viral load was lower than the detection limit, and maybe affected by methodological limitations, sampling time and sampling site, etc. In the following two cases, it is recommended to collect the specimens for re-testing, and combined with clinical analysis. a. SARA-CoV-2 infection was highly suspected when clinical signs and other examinations were performed; b. the results were obtained from quantities below the detection limit, but showed an amplification reaction.

Example

Hospital's Stamp
医院盖章



72 hours before traveling
出发前 72 小时内

注意NOTE: 本检测仪对来样负责。如果对结果有疑义, 请在收到结果后7天内与我们联系, 多谢合作! We are responsible for the result(s) of provided sample(s) only. Should you have any questions, please contact us within seven days. Thank you for your cooperation.

主检TEST PERFORMED BY: 程采采 审核RESULT CHECKED BY: 程采采 批准REPORT SIGNED BY: 程采采 采样点collecting site: XQL

实验室LAB: 网址WEB: 地址ADD: 报告日期REPORT TIME: 2020-10-18 19:31:43

条形码: BJ00241EVL11NB

QR code

Example

新冠病毒核酸检测报告

Co26

SARS-CoV-2 (COVID-19) Nucleic Acid Test Report

姓名 (Name): [Redacted] 护照姓名 (Name): [Redacted]
性别 (Gender): [Redacted] 护照号码 (Passport Number): [Redacted]
年龄 (Age): [Redacted] 科室 (Department): 新冠病毒核酸检测预约
病历号 (Patient ID): M001827240 申请医生 (Physician): 种甲
条码号 (Barcode ID): 8007864722 采样时间 (Collected Time): 2020-10-18 08:19
标本类型 (Specimen): 鼻咽拭子/NP Swab 收样时间 (Received Time): 2020-10-18 11:03
临床诊断 (Diagnosis): 新冠检测 (其他人员类别-自费)

检测项目/Test Item	结果/Result	参考范围/Reference Range	检测方法/Method
新型冠状病毒核酸检测/ SARS-CoV-2 nucleic acid Test	阴性/Negative	阴性/Negative	实时荧光PCR法/Real-time PCR

以下空白结果栏没有其他结果
No other Result Below

备注/Notes:

检测下限: 500 copies/ml Limit of Detection: 500 copies/ml
样本类型/ Specimen: NP Swab; Nasopharyngeal swab (NP)
以上检验结果仅对所检测的标本有效。/This result is only valid for the tested sample.



Hospital's Stamp
医院盖章

检验日期: (Tested Time) 2020-10-18 13:09 检验者 (Performed By) 赖惠英
报告日期: (Reported Time) 2020-10-18 13:40 审核者 (Approved By) 许宏涛
实验室名称: [Redacted] 实验室地址: 中国北京 (100730) 联系电话: [Redacted]

Performing
Address:

72 hours before traveling
出发前 72 小时内